15'-8" PEAK DORMER_____Initials
W2   W2

8'-0" PEAK DORMER_____Initials
W10

8'-0" PEAK DORMER_____Initials
W10

A   B   C

28' - 11"

12' - 11 1/2"   15' - 11 1/2"

1

8' - 5 1/2"
11' - 1"

10' - 2 1/4"
14' - 5 1/2"

7'-0" HEAD HEIGHT

W30

WINDOW FEATURE WALL

E - XLU-01-001-29-W1

W29

W22

E - XLU-01-001-29-V1

OPEN TO BELOW

DN

LOFT
200

W6

W6
W1

BALCONY
_____Initials

F - XLU-01-003-29-V1

3' - 0"

2

28' - 11"

8' - 6"

12' - 0"
6' - 9"

28' - 11"

W29

W22

W30

7'-0" HEAD HEIGHT

10' - 2 3/4"
14' - 5 1/2"

11' - 1"
8' - 5 1/2"

3

8'-0" PEAK DORMER_____Initials
W10

8'-0" PEAK DORMER_____Initials
W10

24 MAR 2006

WHISPER CREEK LOG HOMES

**FOX HOLLOW LOFT 1**
SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL

PLANS AS SHOWN ALIGN WITH FOX HOLLOW
1,2,3,& 5, BECAUSE OF STAIR DIRECTION

OPTIONS SHOWN
BALCONY

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL

8'-0" PEAK DORMER_____Initials

8'-0" PEAK DORMER_____Initials

W10

W10

A

B

28' - 11"

C

12' - 11 1/2"

15' - 11 1/2"

3

8' - 5 1/2"

11' - 1"

10' - 2 3/4"

14' - 5 1/2"

7'-0" HEAD HEIGHT

W30

WINDOW FEATURE WALL

W22

W29

E - XLU-01-001-29-W1

E - - XLU-01-001-29-V1

OPEN TO BELOW

W1 W6

BALCONY
_____Initials

F - - XLU-01-003-29-V1

W29

28' - 11"

8' - 6"

2

DN

LOFT

200

3' - 0"

W6

12' - 0"

6' - 9"

28' - 10"

W30

14' - 5 1/2"

10' - 2 1/4"

W22

7'-0" HEAD HEIGHT

11' - 1"

8' - 5 1/2"

1

W10

W10

8'-0" PEAK DORMER_____Initials

8'-0" PEAK DORMER_____Initials

24 MAR 2006

WHISPER CREEK LOG HOMES

W2

W2

FOX HOLLOW LOFT 1M
SCALE: 1" = 10'-0"

15'-8" PEAK DORMER_____Initials

350 SQ FT
448 SQ FT TOTAL

PLANS AS SHOWN ALIGN WITH FOX HOLLOW 4,
BECAUSE OF STAIR DIRECTION

OPTIONS SHOWN
BALCONY

OPTIONS AVAILABLE
DORMER OPTIONS SHOWN
WINDOW FEATURE WALL

15'-8" PEAK DORMER_____Initials

W2   W2

8'-0" PEAK DORMER_____Initials

8'-0" PEAK DORMER_____Initials

W10

W10

(A)   (B)   28' - 11"   (C)

12' - 11 1/2"   15' - 11 1/2"

(1)

W30

8' - 5 1/2"
11' - 1"

10' - 2 1/4"

EQ

7'-0" HEAD HEIGHT

LOFT
(200)

WINDOW FEATURE WALL

E - XLU-01-001-29-W1

W29

W22

OPEN TO BELOW

DN

3' - 0"

W29

(2)

28' - 11"

8' 6"

E - XLU-01-001-29-V1

BATH

W6

BALCONY_____Initials

12' - 0"
6' - 9"
28' - 11"

F - XLU-01-003-29-V1

(201)

W22

SHOWER or TUB

W1   W6

EQ

10' - 2 3/4"

W30

7'-0" HEAD HEIGHT

8' - 5 1/2"
11' - 1"

(3)

8'-0" PEAK DORMER_____Initials

8'-0" PEAK DORMER_____Initials

W10

W10

24 MARCH 2006

WHISPER
CREEK LOG HOMES

FOX HOLLOW LOFT 2
SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL

PLANS SHOWN ALIGN WITH FOX HOLLOW
1,2,3, & 5, BECAUSE OF STAIR DIRECTION

OPTIONS SHOWN
BALCONY
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL

8'-0" PEAK DORMER_____Initials   8'-0" PEAK DORMER_____Initials

W10   W10

A   B   C

28' - 11"

12' - 11 1/2"   15' - 11 1/2"

WINDOW FEATURE WALL

W30

W29

E - XLU-01-001-29-W1

W29

W30

1

14 - 5 1/2"   10 - 2 3/4"

8' - 5 1/2"

11' - 1"

7'-0" HEAD HEIGHT

SHOWER or TUB

W22

OPEN TO BELOW

W1   W6

BATH

2   8' - 6"   E- XLU-01-001-29-V1   201

BALCONY
_____Initials

28' - 11"

F- - XLU-01-004-29-V1   12' - 0"   6' - 9"   28' - 11"

W22

DN

3' - 0"

W6

LOFT

200

14 - 5 1/2"   10 - 2 1/4"

7'-0" HEAD HEIGHT

8 - 5 1/2"   11' - 1"

3

W10   W10

8'-0" PEAK DORMER_____Initials   8'-0" PEAK DORMER_____Initials

W2   W2

15'-8" PEAK DORMER_____Initials

350 SQ FT
448 SQ FT TOTAL
PLANS AS SHOWN ALIGN WITH FOX HOLLOW 4,
BECAUSE OF STAIR DIRECTION

OPTIONS SHOWN
BALCONY
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL

A   B   C

28' - 11"

12' - 10 1/2"   16' - 0 1/2"

23' - 4 1/2"   5' - 6 1/2"

8'-0" PEAK DORMER_____Initials   15'-8" PEAK DORMER_____Initials

W10   W2   W2

8'-0" PEAK DORMER_____Initials

W10

WINDOW FEATURE WALL

E - XLU-01-001-29-W1

W30

W29

W29

W30

1

10' - 2 1/4"

14' - 5 1/2"

7'-0" HEAD HEIGHT

11' - 1"

W22

E - XLU-01-001-29-V1

OPEN TO BELOW

BEDROOM
200

W1   W6

28' - 11"

2

8' - 6"

DN

BALCONY_____Initials

F - XLU-01-002-29-V1

6' - 9"

28' - 11"

2' - 4"

W22

BATH
201

W1   W6

14' - 5 1/2"

7'-0" HEAD HEIGHT

2' - 4"   2' - 4"

11' - 1"

10' - 2 3/4"

3

W13T

8'-0" PEAK DORMER_____Initials

W10

8'-0" PEAK DORMER_____Initials

24 MARCH 2006

WHISPER CREEK LOG HOMES

FOX HOLLOW LOFT 3
SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL

PLANS AS SHOWN ALIGN WITH FOX HOLLOW
1, 2, 3,& 5, BECAUSE OF STAIR LOCATION
OPTIONS SHOWN
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
BALCONY
DORMERS SHOWN
WINDOW FEATURE WALL

A   B   C

28' - 11"

13' - 0"   15' - 11"

8'-0" PEAK DORMER_____Initials

W10

8'-0" PEAK DORMER_____Initials

W10

WINDOW FEATURE WALL

W30

W29

E - XLU-01-001-29-W1

W29

W30

3

10' - 1 3/4"

14' - 5 1/2"

28' - 11"

8' - 6"

14' - 5 1/2"

10' - 3 1/4"

W22

E - XLU-01-001-29-V1

W22

2

1

7'-0" HEAD HEIGHT

OPEN TO BELOW

7'-0" HEAD HEIGHT

DN

2' - 4"

2' - 4"

2' - 4"

BATH
201

BEDROOM
200

W1   W6

BALCONY
_____Initials

W6

F - XLU-01-004-29-V1

8' - 5"

11' - 0 1/2"

12' - 0"

6' - 9"

11' - 0"

8' - 4 1/2"

W2   W2

15'-8" PEAK DORMER_____Initials

8'-0" PEAK DORMER_____Initials

W10

8'-0" PEAK DORMER_____Initials

W10

24 MAR 2006

WHISPER CREEK LOG HOMES

FOX HOLLOW LOFT 3M

SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL

PLANS AS SHOWN ALIGN WITH FOX HOLLOW 4,
BECAUSE OF STAIR DIRECTION

OPTIONS SHOWN
BALCONY
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL

A   B   C

28' - 11"

13' - 0"   15' - 11"

8'-0" PEAK DORMER_____Initials   8'-0" PEAK DORMER_____Initials

W10   W10

15'-8" PEAK DORMER_____Initials

W2   W2

3

WINDOW FEATURE WALL

E - XLU-01-001-29-W1

W30

W29

W29

W30

LOFT
202

7'-0" HEAD HEIGHT

10' - 1 3/4"

14' - 5 1/2"

2

28' - 11"

8' - 6"

OPEN TO BELOW

E - XLU-01-001-29-V1

W22

W22

DN

BATH
202

2' - 6"

3' - 0"

4' - 0"

2' - 6"

BALCONY
_____Initials

W6

W1

W6

F - XLU-01-003-29-V1

8' - 4 1/2"

11' - 0"

12' - 0"

6' - 9"

BEDROOM
200

14' - 5 1/2"

10' - 3 1/4"

7'-0" HEAD HEIGHT

1

W10

8'-0" PEAK DORMER_____Initials

W10

8'-0" PEAK DORMER_____Initials

8' - 6 1/2"

11' - 2"

24 MAR 2006

WHISPER CREEK LOG HOMES

FOX HOLLOW LOFT 4

SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL

PLANS AS SHOWN ALIGN WITH FOX HOLLOW
1, 2, 3, & 5, BECAUSE OF STAIR LOCATION

OPTIONS SHOWN
BALCONY
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL

A   B   C

28' - 10"

12' - 11 1/2"   15' - 10 1/2"

8'-0" PEAK DORMER_____Initials
W10

8'-0" PEAK DORMER_____Initials
W10

WINDOW FEATURE WALL

E - XLU-01-001-29-W1

W30

W29

W29

W30

3

2

1

14' - 5 1/2"   10' - 1 1/4"

8' - 6"

28' - 11"

14' - 5 1/2"   10' - 3 3/4"

E - XLU-01-001-29-V1

W22

W22

7'-0" HEAD HEIGHT

OPEN TO BELOW

7'-0" HEAD HEIGHT

DN

BED ROOM
201

4' - 0"

BATH
202

2' - 6"

3' - 0"

LOFT
202

BALCONY
_____Initials

W1

W6

W6

F - XLU-01-004-29-V1

8' - 4 1/2"

11' - 0"

12' - 0"

6' - 9"

11' - 0"

8' - 4 1/2"

8'-0" PEAK DORMER_____Initials
W10

W2   W2

15'-8" PEAK DORMER_____Initials

W10

8'-0" PEAK DORMER_____Initials   8'-0" PEAK DORMER_____Initials

---

24 MAR 2006

WHISPER CREEK LOG HOMES

FOX HOLLOW LOFT 4M
SCALE: 1" = 10'-0"

350 SQ FT
448 SQ FT TOTAL
PLAN SHOWN ALIGNS WITH FOX HOLLOW 4,
BECAUSE OF STAIR LOCATION

OPTIONS SHOWN
BALCONY
DORMER OPTIONS SHOWN

OPTIONS AVAILABLE
DORMERS SHOWN
WINDOW FEATURE WALL